

Grounding Products



- *Safe, fast and efficient for cost-effective grounding jobs*
- *Ensures compliance with Article 250 of the National Electrical Code*

Pigtails




Solid

Stranded

Combo

Grounding Connectors



Twist-on


Crimps

Accessories



Screws

Made in U.S.A. of U.S. and Global Components



We've got grounding covered

Grounding Pigtails are designed for a wide variety of grounding applications. The ultra-flexible lead wire and bonding jumpers make for fast and efficient pigtailing.

Solid (w/loop and Ground Screw):

- **14 AWG**
  - 8 in.
- **12 AWG**
  - 6-1/2 in.
  - 8 in.
  - 10 in.
  - 12 in.

Stranded:

- **14 AWG**
  - 8 in. w/#10 Fork and #10 Ring & Ground Screw
- **12 AWG**
  - 8 in. w/#10 Fork and Stripped End
  - 8 in. w/#10 Fork & #10 Ring
  - 8 in. w/#10 Fork and #10 Ring & Ground Screw
  - 10 in. w/#10 Fork and #10 Ring & Ground Screw
  - 12 in. w/#10 Fork and #10 Ring & Ground Screw

Combo (12 AWG only):

- **2-Wire**
- **3-Wire**



Solid




Thread-forming, hole-finding ground screw with combination Slotted, Phillips, Hex and #2 Robertson head

Heavy-duty fork terminals attach easily to device grounding screw



Stranded



Combo

UL LISTED
Ground Connector
951L

Grounding Screw



- Thread-forming, hole-finding grounding screw
- Combination Slotted, Phillips, Hex and #2 Robertson head


with the complete grounding product line from IDEAL.

Greenie®, Green-B® & WGR Grounding Connectors

- Designed for making ground connections and bonding non-metallic sheathed cable
- UL Listed and CSA Certified; fully meets the intent of NEC sections 250.146 and 250.148

LISTED
Ground Connector
951L

Cu/Cu Only




Greenie®
MIN. 2 #14
MAX. 3 #12 w/1 #14

Green-B®
MIN. 2 #14
MAX. 5 #12

WGR
MIN. 2 #14
MAX. 5 #12

BUCHANAN Splice Cap Copper Crimp Connectors




- Designed for making fast, permanent, pressure-type connections
- Solid copper sleeves require less crimping pressure
- Resists corrosion in harsh environments
- UL486C Listed and CSA C22.2 #188 Certified; UL467 Listed for grounding and bonding applications

LISTED
Wire Connector
2C86

Cu/Cu Only


Steel Crimp Connectors



- Designed for making fast, permanent, pressure-type connections
- Zinc-plated steel
- UL486C Listed and CSA C22.2 #188 Certified; UL467 Listed for grounding and bonding applications

LISTED
Wire Connector
774A

Cu/Cu Only



Also Available:

Non-Grounding Pigtails

8 in. 12 AWG Stranded Pigtails

- White or Black, #10 Fork & Stripped End

LISTED
Wire Connector
774A

Grounding Products

Solid Wire Grounding Tails	Quantity/Pkg.	Cat. No.
14 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Box of 50	**30-3390**
12 AWG solid, 6.5" tail w/loop & ground screw and stripped end	Box of 50	**30-3404**
12 AWG solid, 6.5" tail w/loop & ground screw and stripped end	Bulk Pack of 1,000	**30-3402**
12 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Box of 50	**30-3392**
12 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Plastic Box of 100	**30-3399**
12 AWG solid, 8 in. tail w/loop & ground screw and stripped end	Bulk Pack of 1,000	**30-3496**
12 AWG solid, 10 in. tail w/loop & ground screw and stripped end	Bag of 50	**30-3410**
12 AWG solid, 10 in. tail w/loop & ground screw and stripped end	Bulk Pack of 500	**30-3394**
12 AWG solid, 12 in. tail w/loop & ground screw and stripped end	Box of 50	**30-3498**
12 AWG solid, 12 in. tail w/loop & ground screw and stripped end	Bulk Pack of 1,000	**30-3396**
Stranded Wire Grounding Tails	**Quantity/Pkg.**	**Cat. No.**
14 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Bag of 25	**30-3183**
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Bag of 25	**30-3184**
12 AWG stranded, 8 in. tail w/#10 ring & ground screw and stripped end	Bulk Pack of 1,000	**30-3201**
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Bulk pack of 1,000	**30-3284**
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring and ground screw	Plastic box of 50	**30-3385**
12 AWG stranded, 8 in. tail w/#10 fork & #10 ring	Bulk pack of 1,000	**30-3285**
12 AWG stranded, 8 in. tail w/#10 fork and stripped end	Bag of 25	**30-3480**
12 AWG stranded, 8 in. tail w/#10 fork and stripped end	Bulk pack of 1,000	**30-3580**
12 AWG stranded, 10 in. tail w/#10 fork & #10 ring and ground screw	Box of 50	**30-3310**
12 AWG stranded, 10 in. tail w/#10 fork & #10 ring and ground screw	Bulk pack of 500	**30-3311**
12 AWG stranded, 12 in. tail w/#10 fork & #10 ring and ground screw	Box of 50	**30-3412**
12 AWG stranded, 12 in. tail w/#10 fork & #10 ring and ground screw	Bulk pack of 1,000	**30-3413**
Combo Tails	**Quantity/Pkg.**	**Cat. No.**
2-wire combo: 12 AWG solid tail, one stripped end, one end w/ground screw; joined to 12 AWG stranded tail at a ring terminal, w/fork terminal on second end	Box of 500	**30-3286**
2-wire combo: 12 AWG stranded w/#10 ring & ground screw, one stripped-end tail and one #10 fork tail	Bag of 25	**30-3287**
2-wire combo: 12 AWG stranded w/#10 ring and ground screw and two #10 fork tails	Bag of 25	**30-3288**

Combo Tails	Quantity/Pkg.	Cat. No.
3-wire combo: 12 AWG stranded w/#10 ring & ground screw, one stripped-end tail and two #10 fork tails	Bag of 25	**30-3289**
Miscellaneous Grounding Products	**Quantity/Pkg.**	**Cat. No.**
Ground screw, thread-forming, hole-finding, combination hex, Phillips, slotted and Robertson tip	Jar of 100	**30-3594**
	Pack of 50	**30-3194**
Grounding Connectors	**Quantity/Pkg.**	**Cat. No.**
92® Greenie®	Box of 100	**30-092**
	Jar of 150	**30-092J**
	Keg of 5,000 (10 bags, 500 ea.)	**30-292**
	Box of 1,000	**30-192**
BGR Green-B®	Box of 50	**BGR-1**
	Keg of 2,500 (10 bags, 250 ea.)	**BGR-B**
WGR Green	Box of 50	**WGR-1**
	Jar of 500	**WGR-500JR**
	Keg of 5,000 (20 bags, 250 ea.)	**WGR-B**
Steel & Copper Crimp Connectors	**Quantity/Pkg.**	**Cat. No.**
Model 410 Steel Crimps 18 AWG - 10 AWG Min. 1 #14 & 1 #18; Max. 2 #10 & 2 #14	Bag of 100	**30-410**
	Carton of 1,000	**30-510**
	Keg of 10,000	**30-610**
Model 411 Steel Crimps 18 AWG - 8 AWG Min. 3 #12; Max. 4 #10	Box of 50	**30-411**
	Carton of 1,000	**30-511**
Model 412 Steel Crimps 18 AWG - 4 AWG Min. 1 #14 & 1 #16; Max. 2 #8 & 1 #6	Box of 50	**30-412**
	Carton of 1,000	**30-512**
BUCHANAN Splice Cap Copper Crimps 18 AWG - 10 AWG Min. 2 #18; Max. 4 #12	Bag of 100	**2006S**
	Bag of 1,000	**2006SB**
BUCHANAN Splice Cap Copper Crimps 14 AWG - 4 AWG Min. 2 #10; Max. 2 #6	Bag of 50	**2011S**
	Bag of 500	**2011SB**
Non-Grounding Stranded Wire Pigtails	**Quantity/Pkg.**	**Cat. No.**
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, white	Bag of 25	**30-3470**
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, white	Bulk pack of 1,000	**30-3570**
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, black	Bag of 25	**30-3471**
12 AWG stranded, 8 in. tail w/#10 fork and stripped end, black	Bulk pack of 1,000	**30-3571**

IDEAL INDUSTRIES, INC.
1375 Park Avenue, Sycamore, IL 60178, USA / 815-895-5181 • 800-435-0705 in USA

International offices: Australia • Brazil • Canada • China • Germany • Mexico • UK
For complete sales office contact information, visit us at:
www.idealind.com

Form No. P-2102
©2013 IDEAL INDUSTRIES, INC.
9/13
Printed in U.S.A.